

# Table of Contents

**Foreword** . . . . . ix

**Acknowledgements** . . . . . xi

**Preface** . . . . . xiii

**Chapter 1 – Overview** . . . . . 1

    1.1 What are String Telescopes? . . . . . 1

    1.2 Stabilizing Columns Using Guy Wires . . . . . 2

    1.3 Classifying String Telescope Structures . . . . . 2

    1.4 Preparation before You Begin . . . . . 5

        1.4.1 Define Your Goals . . . . . 5

        1.4.2 Survey Existing Products . . . . . 7

        1.4.3 Understand Relevant Engineering and Technologies . . . . . 7

    1.5 How to Use This Book . . . . . 8

        1.5.1 Selecting a Design . . . . . 8

        1.5.2 Essential Construction Methods . . . . . 9

        1.5.3 Evaluating Performance . . . . . 9

    1.6 Design Tools . . . . . 10

    1.7 Construction Tools . . . . . 10

**Chapter 2 – Basic Principles of String Telescopes** . . . . . 13

    2.1 The Idealized String Telescope . . . . . 13

        2.1.1 Vertical Planar String Substructure Subjected to  
                Vertical Load . . . . . 13

        2.1.2 Horizontal Planar String Substructure Subjected to  
                Vertical Load . . . . . 15

    2.2 The Idealized Model Meets the Real World . . . . . 17

        2.2.1 Vertical Planar String Substructure Subjected to  
                Vertical Load . . . . . 17

        2.2.2 A Metric for Pre-Stressing Effectiveness . . . . . 20

        2.2.3 Horizontal Planar String Substructure Subjected to  
                Vertical Load . . . . . 21

        2.2.4 Effectiveness of Pre-Stressing Horizontal Planar  
                String Substructure . . . . . 23

        2.2.5 Substructure Deflections versus Elevation Angle . . . . . 24

    2.3 Summary . . . . . 25

<b>Chapter 3 – String Telescopes with Planar Substructures</b> . . . . .	<b>27</b>
3.1 TOA Using Four Planar String Substructures . . . . .	27
3.1.1 Vertical TOA Subjected to Vertical Load . . . . .	28
3.1.2 Horizontal TOA Subjected to Vertical Load . . . . .	30
3.1.3 TOA Deflection versus Elevation Angle . . . . .	32
3.1.4 Lateral Deflections . . . . .	34
3.1.5 Rotational Deflections of the UOA . . . . .	36
3.1.5.1 Non-Axial Rotation with Vertical TOA . . . . .	36
3.1.5.2 Axial Rotation with Horizontal TOA . . . . .	39
3.1.5.3 Non-Axial Rotation with Horizontal TOA . . . . .	41
3.1.6 Relative Magnitude of Planar String Substructure Deflections . .	43
3.2 TOAs Using Four Pairs of Planar Guy Wires. . . . .	44
3.3 TOA Using Three Planar String Substructures. . . . .	47
3.3.1 TOA Deflection versus Elevation Angle . . . . .	47
3.3.2 Lateral Deflections . . . . .	49
3.3.3 Comparison Between TOAs Using Three or Four Planar String Substructures . . . . .	50
3.4 TOAs Using Three Pairs of Planar Guy Wires. . . . .	51
3.5 TOA Using Three Pairs of Angled Planar Guy Wires . . . . .	52
3.5.1 Deflections Perpendicular to the TOA Axis. . . . .	53
3.5.2 Forces Generated by Angled Pairs of Planar Guy Wires . . . . .	55
3.6 Other Structure Forces . . . . .	56
3.7 Summary . . . . .	60
<b>Chapter 4 – String Telescopes with Non-Planar Substructures</b> . . . . .	<b>61</b>
4.1 Non-Planar Substructures . . . . .	61
4.1.1 Vertical Non-Planar String Substructure Subjected to Vertical Load . . . . .	62
4.1.2 Horizontal Non-Planar String Substructure Subjected to Vertical Load . . . . .	63
4.2 TOA Using Four Non-Planar String Substructures . . . . .	65
4.2.1 Vertical TOA Subjected to Vertical Load . . . . .	65
4.2.2 Horizontal TOA Subjected to Vertical Load . . . . .	67
4.2.3 TOA Deflection versus Elevation Angle . . . . .	69
4.2.4 Lateral Deflections . . . . .	70
4.2.5 Rotational Deflections of the UOA . . . . .	72
4.2.5.1 Non-Axial Rotation with Vertical TOA . . . . .	72
4.2.5.2 Axial Rotation with Horizontal TOA . . . . .	75
4.2.5.3 Non-Axial Rotation with Horizontal TOA . . . . .	77
4.2.6 Relative Magnitude of Non-Planar String Substructure Deviations. . . . .	78
4.3 TOA Using Two Non-Planar String Substructures . . . . .	78
4.4 TOAs Using Three Non-Planar String Substructures. . . . .	80
4.4.1 Horizontal TOA Subjected to Vertical Load . . . . .	81
4.4.2 Lateral Deflections . . . . .	82

4.4.3 Effectiveness of Pre-Stressing Horizontal TOA. . . . .	83
4.4.4 Deflection Comparison of TOAs Using Three and Four Non-Planar String Substructures. . . . .	83
4.4.5 TOA Using Three Modified Non-Planar String Substructures . .	84
4.4.6 TOA Using Three Alternative Non-Planar String Substructures. .	87
4.4.6.1 Horizontal TOA Subjected to Vertical Load . . . . .	88
4.4.6.2 Lateral Deflections. . . . .	89
4.4.6.3 Effectiveness of Pre-Stressing Horizontal TOA . . . . .	90
4.5 Radial Forces . . . . .	90
4.6 Summary . . . . .	93
<b>Chapter 5 – Selection and Testing of Guy Wires. . . . .</b>	<b>95</b>
5.1 Guy Wire Candidates . . . . .	95
5.1.1 Steel Wire Rope . . . . .	95
5.1.1.1 Cable Stretch . . . . .	97
5.1.1.2 Selection Criteria and Availability. . . . .	99
5.1.1.3 Sample Selection and Preparation . . . . .	100
5.1.2 High Modulus Polymers. . . . .	101
5.1.2.1 Stretch, Stress Relaxation, and Creep . . . . .	103
5.1.2.2 Selection Criteria and Availability. . . . .	104
5.1.2.3 Fiber Ropes . . . . .	107
5.1.2.4 Sample Selection and Preparation . . . . .	108
5.2 Test Systems . . . . .	111
5.2.1 Test System 1 — Applied Stress . . . . .	112
5.2.1.1 Determining Elongation. . . . .	115
5.2.1.2 Corrections — Wall Flexure . . . . .	119
5.2.1.3 Corrections — Thermal Expansion . . . . .	120
5.2.1.4 Determining the Coefficient of Thermal Expansion . .	124
5.2.2 Test System 2 — Applied Strain . . . . .	124
5.2.2.1 Determining Elongation. . . . .	128
5.2.2.2 Corrections — Support Structure Flexure . . . . .	129
5.2.2.3 Corrections — Thermal Expansion . . . . .	133
5.2.2.4 Determining the Coefficient of Thermal Expansion . .	134
5.3 Experimental Results . . . . .	134
5.3.1 Wire Rope. . . . .	134
5.3.1.1 Elongation — Applied Stress. . . . .	134
5.3.1.2 Elongation — Applied Strain. . . . .	137
5.3.1.3 Stress Relaxation/Creep. . . . .	138
5.3.1.4 Thermal Expansion — Applied Stress. . . . .	139
5.3.2 High Modulus Polymers. . . . .	141
5.3.2.1 Elongation — Applied Stress. . . . .	142
5.3.2.2 Elongation — Applied Strain. . . . .	146
5.3.2.3 Thermal Expansion — Applied Stress. . . . .	149
5.3.2.4 Thermal Expansion — Applied Strain. . . . .	151
5.4 Summary . . . . .	154

**iv Table of Contents**

5.4.1 Steel Wire Rope . . . . .	155
5.4.2 Bowstring Yarn . . . . .	156
5.4.3 12-Strand Fiber Rope . . . . .	157
5.4.4 Conclusions and Recommendations. . . . .	157
<b>Chapter 6 – Testing of String Telescope Structures . . . . .</b>	<b>159</b>
6.1 Test Fixture and Method . . . . .	159
6.2 Results - Agreement between Experiment and Theory . . . . .	166
6.2.1 Example 1 — TOA Using Four Non-Planar String Substructures . . . . .	166
6.2.2 Example 2 — TOA Using Two Non-Planar String Substructures . . . . .	167
6.2.3 Example 3 — TOA Using Three Non-Planar String Substructures . . . . .	169
6.2.4 Example 4 — TOA Using Three Modified Non-Planar String Substructures . . . . .	171
6.2.5 Example 5 — TOA Using Three Alternative Non-Planar String Substructures . . . . .	173
6.2.6 Example 6 — TOA Using Three Angled Planar Guy Wire Pairs. . . . .	175
6.3 Summary . . . . .	177
<b>Chapter 7 – Design Guidelines. . . . .</b>	<b>179</b>
7.1 TOA Stiffness . . . . .	179
7.1.1 Criteria for Structure Deflection. . . . .	180
7.1.2 Static Stiffness . . . . .	181
7.1.3 Dynamic Stiffness . . . . .	182
7.2 Comparison between Planar and Non-Planar Substructures . . . . .	184
7.3 Comparison among Non-Planar Substructures. . . . .	187
7.4 Requirements for Pre-stressing TOAs . . . . .	191
7.4.1 Configuration Geometry. . . . .	191
7.4.2 Guy Wire Stiffness versus Stress . . . . .	193
7.4.3 Strut Resistance to Buckling . . . . .	194
7.4.4 Temperature Dependence. . . . .	195
7.4.5 Stressing Structures Using Springs . . . . .	196
7.5 Connection Practices. . . . .	197
7.6 Structure Vibrations . . . . .	198
7.6.1 Guy Wire Vibration . . . . .	198
7.6.2 Strut Vibration . . . . .	199
7.6.3 TOA Vibration . . . . .	199
7.6.4 Comparisons. . . . .	200
<b>Chapter 8 – 10-inch <i>f</i>/5 String Telescope . . . . .</b>	<b>203</b>
8.1 Introduction and Goals . . . . .	203
8.1.1 Design Scope . . . . .	203
8.1.2 Goals and Specifications . . . . .	203

8.2	Design	205
8.2.1	Overview of the Completed Telescope	205
8.2.2	Calculating Deflections	207
8.2.3	Strut and Guy Wire Substructures	209
8.2.4	Optical Design	212
8.2.4.1	Primary Mirror	212
8.2.4.2	Primary Mirror Support	213
8.2.4.3	Telescope Optical Assembly	218
8.2.5	Eyepiece Height and Location	219
8.2.6	Balancing the TOA — Horizontal	221
8.2.7	Altitude Bearings	223
8.2.8	Balancing the TOA — Vertical	223
8.2.9	Altazimuth Assembly (Rocker Box)	224
8.3	Telescope Construction	226
8.3.1	Upper Optical Assembly	227
8.3.1.1	Drum Shell	227
8.3.1.2	Bottom End Ring	227
8.3.1.3	Focuser and Finder Reinforcements	230
8.3.1.4	Hole for Focuser Drawtube	230
8.3.1.5	UOA Connection Brackets	231
8.3.2	Primary Mirror Cell	232
8.3.2.1	Triangular Frame	232
8.3.2.2	Mirror Cell Assembly	233
8.3.2.3	Gluing the Cell to the Primary Mirror	235
8.3.3	Lower Optical Assembly — Mirror Box	236
8.3.3.1	Mirror Box Top and Bottom Panels	236
8.3.3.2	Mirror Box Sides	238
8.3.3.3	Assembling the Mirror Box Panels	238
8.3.3.4	Outside Corner Brackets	240
8.3.3.5	Top Corner Plates	240
8.3.3.6	Checking Fit	242
8.3.3.7	Mirror Box Cover	242
8.3.3.8	Installing the Primary Mirror	242
8.3.4	Struts	243
8.3.5	Guy Wires	244
8.3.6	Assembling the TOA	244
8.3.7	Altitude Bearings	245
8.3.8	Rocker Box	251
8.3.8.1	Vertical Panels	251
8.3.8.2	Bottom Panel	252
8.3.8.3	Assembling the Rocker Box	253
8.3.8.4	Teflon Pads	254
8.3.8.5	The Ground Board	254
8.3.9	Finishing	256

**vi Table of Contents**

8.4	Comments and Suggestions	257
8.4.1	Use	257
8.4.2	Personal Satisfaction, Ergonomics, Convenience	259
8.4.3	Transport and Storage	260
8.4.4	Construction	260
<b>Chapter 9</b>	<b>– 12.5-inch <math>f/4</math> String Telescope</b>	<b>263</b>
9.1	Introduction and Goals	263
9.1.1	Design Scope	263
9.1.2	Goals and Specifications	263
9.1.3	Airline Travel Requirements	265
9.2	Design	267
9.2.1	Overview of the Completed Telescope	267
9.2.2	Calculating Deflections	272
9.2.3	Strut and Guy Wire Substructures	274
9.2.4	Optical Design	276
9.2.4.1	Primary Mirror	276
9.2.4.2	Primary Mirror Support	276
9.2.4.3	Telescope Optical Assembly	280
9.2.5	Eyepiece Height and Location	282
9.2.6	Balancing the TOA – Horizontal	283
9.2.7	Altitude Bearings	283
9.2.8	Balancing the TOA – Vertical	284
9.2.9	Altazimuth Assembly (Rocker Box)	285
9.3	Telescope Construction	287
9.3.1	Lower Optical Assembly	288
9.3.1.1	Top and Bottom Rings	288
9.3.1.2	LOA Sides	291
9.3.1.3	Assembling the LOA – Phase I	292
9.3.1.4	Assembling the LOA – Phase II	294
9.3.2	LOA Mounting Brackets	298
9.3.3	Primary Mirror Cell	300
9.3.3.1	Triangular Frame	300
9.3.3.2	Rocker bars	304
9.3.3.3	Mirror Cell Assembly	305
9.3.3.4	Gluing the Cell to the Primary Mirror	306
9.3.3.5	LOA Cover	307
9.3.3.6	Installing the Primary Mirror	308
9.3.4	Guy Wires	308
9.3.5	Struts	308
9.3.6	Upper Optical Assembly	310
9.3.6.1	Tube Reinforcements	310
9.3.6.2	Mounting the Focuser	313
9.3.6.3	Bottom End Ring	313
9.3.6.4	UOA Mounting Brackets	315

9.3.6.5 Baffles . . . . .	316
9.3.7 Intermediate Ring . . . . .	318
9.3.8 Assembling the TOA . . . . .	319
9.3.9 Altitude Bearings . . . . .	320
9.3.10 Rocker Box . . . . .	325
9.3.10.1 Left and Right Side Panels . . . . .	325
9.3.10.2 Front and Rear Panels . . . . .	327
9.3.10.3 Bottom Panel . . . . .	328
9.3.10.4 Assembling the Rocker Box . . . . .	328
9.3.10.5 Teflon Pads . . . . .	331
9.3.10.6 The Ground Board . . . . .	332
9.3.11 Finishing . . . . .	333
9.4 Comments and Suggestions . . . . .	333
9.4.1 Use . . . . .	334
9.4.2 Personal Satisfaction, Ergonomics, Convenience . . . . .	335
9.4.3 Transport and Storage . . . . .	335
9.4.4 Construction . . . . .	336
<b>Appendix A – Recording and Analyzing Vibration Data . . . . .</b>	<b>337</b>
A.1 Introduction . . . . .	337
A.2 The Slam Stick . . . . .	337
A.3 Vibration Analysis . . . . .	338
A.3.1 Basic Model of Structural Vibration . . . . .	339
A.3.2 Vibrating Systems in Telescopes . . . . .	340
A.3.3 Accelerometer Sensitivity versus Frequency . . . . .	342
A.3.4 The Fourier Transform . . . . .	342
A.4 Test System and Protocol . . . . .	345
A.4.1 Configuring the Slam Stick . . . . .	346
A.4.2 Mounting the Slam Stick to a Telescope . . . . .	346
A.4.3 Refractor on Altazimuth Mount . . . . .	348
A.4.4 Applying the Impulse . . . . .	348
A.5 Results . . . . .	349
A.5.1 Mount Response to Horizontal Impulse . . . . .	350
A.5.2 Mount Response to Vertical Impulse . . . . .	350
A.5.3 Effectiveness of Vibration Damping Pads . . . . .	352
A.6 Summary . . . . .	358
<b>Appendix B – Vibrations in 10-inch <i>f</i>/5 String Telescope . . . . .</b>	<b>361</b>
B.1 Vibrations in String Telescopes . . . . .	361
B.1.1 Configuring the Slam Stick . . . . .	361
B.1.2 Mounting the Slam Stick to the Telescope . . . . .	362
B.2 Vibrations of Individual Struts . . . . .	362
B.3 Vibrations of the Secondary Mirror Mount . . . . .	364
B.4 Vibrations of Individual Guy Wires . . . . .	366
B.5 Guy Wire Tension versus Temperature . . . . .	370

B.6 Full Structure Tests .....	370
B.6.1 Telescope Vibrations Measured at Secondary Mirror Mount ..	371
B.6.2 Telescope Vibrations Measured at Focuser .....	372
B.6.2.1 Vibrations of TOA Oriented Vertically .....	375
B.6.2.2 Vibrations of TOA versus Elevation Angle .....	375
B.6.2.3 Orientation of Ground Board .....	376
B.6.2.4 Altitude Bearing Brace .....	378
B.7 Summary .....	380
<b>Appendix C – Fabrication of Continuous Loop Strings .....</b>	<b>383</b>
C.1 Guy Wires Versus Bowstrings .....	383
C.2 Basic Skills .....	383
C.3 String Jigs .....	384
C.4 Winding the Yarn .....	388
C.5 Serving Tools and Materials .....	389
C.6 Loop Serving .....	390
C.6.1 Beginning the Loop Serving .....	391
C.6.2 Filling the Serving .....	392
C.6.3 The Whip End .....	393
C.6.4 Serving the Second Loop .....	396
C.6.5 Twist .....	397
C.6.6 Closing Loop Ends .....	398
C.7 Center Serving .....	399
C.8 Waxes .....	399
C.9 Comments and Suggestions .....	400
<b>Appendix D – Vibrations in 12½-inch <i>f</i>/4 String Telescope .....</b>	<b>403</b>
D.1 Vibrations in String Telescopes .....	403
D.1.1 Configuring the Slam Stick .....	403
D.1.2 Mounting the Slam Stick to the Telescope .....	404
D.2 Vibrations of Individual Guy Wires .....	405
D.3 Vibrations of Individual Struts .....	407
D.4 Vibrations of the Secondary Mirror Mount .....	408
D.5 Full Structure Tests .....	411
D.5.1 Telescope Vibrations Measured at Focuser .....	411
D.5.1.1 Vibrations of TOA versus Elevation Angle .....	412
D.5.1.2 Ground Board Orientation and Altitude	
Bearing Brace .....	414
D.5.2 Telescope Vibrations Measured at Secondary Mirror Mount ..	414
D.5.3 Observations at the Eyepiece .....	415
D.6 Summary .....	417
<b>Index .....</b>	<b>419</b>